

SANDER PARTS & ACCESSORIES

Backup Pads • Pad Protectors • Interface Pads • Sander Parts • Drop in Motors



Backup Pads

Clayton backup pads are designed specifically for vacuum sanding. The large number of holes provides unmatched airflow and dust capture.

Disc Pads J-Hook


These pads come standard on all Clayton sanders and feature J-Hook abrasive attachment, multi-hole pattern for better air flow, tapered edge, and a threaded stud.

Disc Pads J-Hook

Model	NSN	Size	Holes	Edge	Abrasive Attachment	Stud Size	Price
672-301J		3"	3	Tapered	J-Hook	1/4	
672-511J	▲	5"	Multi	Tapered	J-Hook	5/16	
672-511JH*		5"	Multi	Tapered	J-Hook	5/16	
672-611J	▲	6"	Multi	Tapered	J-Hook	5/16	
672-611JH*		6"	Multi	Tapered	J-Hook	5/16	
672-811J		8"	Multi	Tapered	J-Hook		

* Firm Pad

301J • 511J • 611J • 811J



J-Hook Back



Tapered Edge



8" Pad

Disc Pads Vinyl

Our PSA pads feature 3 to 6 holes, a Low Profile or Tapered edge, and vinyl backing for your PSA abrasive

Disc Pads Vinyl


Model	NSN	Size	Holes	Edge	Abrasive Attachment	Stud Size	Price
672-301S		3"	3	Tapered	PSA	1/4	
672-511S		5"	5	Tapered	PSA	5/16	
672-501S		5"	5	Low Profile	PSA	5/16	
672-611S		6"	6	Tapered	PSA	5/16	
672-601S		6"	6	Low Profile	PSA	5/16	
672-811S		8"	8	Tapered	PSA	5/16	



Low Profile Edge



Tapered Edge



Vinyl Back



301S



501S • 601S



511S • 611S • 811S

Disc Pads Vinyl Groove

If you need to use PSA abrasive but are looking for better air flow try our grooved PSA pads. The grooves provide airflow across and to the edge of the entire pad, eliminating the need to align the holes in the abrasive and the pad.

Disc Pads Vinyl Groove

Model	NSN	Size	Holes	Edge	Abrasive Attachment	Stud Size	Price
672-511SG		5"	5	Low Profile	PSA	5/16	
672-611SG		6"	8	Low Profile	PSA	5/16	



511SG • 611SG



Grooved PSA



Low Profile Edge

★ Available on GSA Advantage website @ www.GSAadvantage.gov


▲ This item has an NSN - See Model / NSN table on page 4.

Rectangular Screw-on Pads

These pads use a four point screw attachment method, J-Hook or PSA abrasive attachment and multi-hole pattern for excellent air flow.

Rectangular Screw-on Pads

Model	NSN	Size	Holes	Edge	Abrasive Attachment	Price
675-702J		3-2/3 x 7	Multi	Low Profile	J-Hook	
675-402J		3 x 4	Multi	Low Profile	J-Hook	
675-402S		3 x 4	4	Low Profile	PSA	



PSA Back

Screw On

J-Hook Back

Rectangular Stick-on Pads

If your sander requires a Stick-on pad then we have them in both J-Hook and vinyl.

Rectangular Stick-on Pads

Model	NSN	Size	Holes	Edge	Abrasive Attachment	Price
672-701J		3-2/3 x 7	10	Low Profile	J-Hook	
672-701S		3-2/3 x 7	10	Low Profile	PSA	
672-402J		3 x 4	5	Low Profile	J-Hook	
672-402S		3 x 4	5	Low Profile	PSA	



Stick On

Vinyl Back

J-Hook Back

Triangle Pads

For triangle detail sanders these pads attach with two screws and feature a hook & loop abrasive attachment method.

Triangle Pads

Model	NSN	Size	Holes	Edge	Abrasive Attachment	Price
692-282J		3 x 3 x 3	6	Low Profile	Hook	
692-284J		3 x 3 x 3	6	Low Profile	Hook	



Hook Back

Hook Back

Radius Pads

This innovative backup pad was designed to help OEMs and maintainers deal with the concave surfaces of certain aircraft jet intakes. In the past, sanders would only make contact with the outer edges of the abrasive on concave surfaces. These pads follow the contour of the aircraft skin providing even contact over the entire abrasive surface.

- Designed in cooperation with Lockheed Martin for F-22 intakes
- Designed in cooperation with Northrop Grumman for F-35 intakes
- Available in two sizes for narrow and wide concave areas
- Extended nose and tail allows sander to accept 5" disc abrasives

Radius Pads

Model	NSN	Size	Holes	Radius	Abrasive Attachment	Price
672-401J-56R		3 x 5	33	Short	J-Hook	
672-401J-66R		3 x 5	33	Long	J-Hook	



* Available on GSA Advantage website @ www.GSAadvantage.gov

^ This item has an NSN - See Model / NSN table on page 4.